

## AAFP-AAHA

# **Feline Life Stage Guidelines**

Background and goals Cats have become the most popular pet in the United States, yet statistics about veterinary care for cats remain troubling.1 Although most owners consider their cats to be family members, cats are substantially underserved, compared with dogs. In 2006, owners took their dogs to veterinarians more than twice as often as cats, averaging

2.3 times/year, compared with 1.1 times/year for cats, and significantly more dogs (58%) than cats (28%) were seen by a veterinarian one or more times/year.<sup>2</sup> Cat owners often express a belief that cats 'do not need medical care'. Two reasons for this misconception are that signs of illness are often difficult to detect, and cats are perceived to be self-sufficient.2 One role of the veterinarian is to develop a partnership with cat owners that will pave the way for a lifelong health care plan. These guidelines aim to outline an evidence-based life stage wellness program to aid the veterinary medical team in delivering the best comprehensive care for cats. Specific goals are to provide:

- Recommendations for optimal health care for cats throughout the different life stages.
- Practical suggestions and tools to facilitate improved veterinary visits and to enhance the client-veterinarian clinical encounter.
- A foundation from which to access sources of additional information

Life stage classification Distinct life stages (age groups) in cats are not well defined, in part because individual animals and body systems age at different rates, a process that is influenced by many factors. These guidelines follow one convenient classification (see box below). These age designations help to focus attention on the physical and behavioral changes that occur at different stages (eg, congenital defects in kittens, obesity prevention in the junior cat). It must be recognized, however, that any age groupings are inevitably arbitrary demarcations along a spectrum, and not absolutes.

Evidence-based health care Supporting references for specific recommendations are supplied where possible, and any previously published guidelines on particular topics are referred to where relevant. Readers should note, however, that the guidelines panel was hampered in its efforts by the relative paucity of disease incidence data by age group that is available, and there is an urgent need for research to guide the future of evidence-based feline health care.3

### Getting started: the wellness exam

To achieve optimum feline health care, veterinarians must help owners to understand and appreciate the importance of regular preventive care for their cats at all ages. A consistent message from the entire health care team is crucial, beginning with the first kitten visit and reinforced during subsequent visits. Early detection of clinical abnormalities and behavioral changes can improve disease management and quality of life.5,6

#### How frequent?

The panel supports the recommendations of the American Association of Feline Practitioners (AAFP) and American Animal Hospital Association (AAHA) that a minimum of annual wellness examinations and consultations for all cats is justifiable. More frequent examinations may be recommended for seniors and geriatrics, and cats with medical and behavioral conditions.

## Life stages in cats

L	_ife stage	Age of cat	Human equivalent
Tigger 3 months old	Kitten birth to 6 months	0 – 1 month 2 – 3 months 4 months 6 months	0 – 1 year 2 – 4 years 6 – 8 years 10 years
Sugar 13 months old	Junior 7 months to 2 years	7 months 12 months 18 months 2 years	12 years 15 years 21 years 24 years
Rosie 3 years old	Prime 3 years to 6 years	3 4 5 6	28 32 36 40
Nemo 8 years old	Mature 7 years to 10 years	7 8 9 10	44 48 52 56
George 13 years old	Senior 11 years to 14 years	11 12 13 14	60 64 68 72
	Geriatric 15 years+	15 16 17 18 19	76 80 84 88 92 96
Chinarose 16 years old		20 21 22 23 24 25	100 104 108 112

These guidelines follow a convenient life stage classification developed by the Feline Advisory Bureau and adopted in the recent AAFP Senior Care Guidelines.<sup>4,5</sup> Six age groupings are defined, from kitten through to geriatric





Amy Hoyumpa Vogt DVM DABVP (Canine and Feline) Guidelines Co-Chair

Ilona Rodan DVM DABVP (Feline) Guidelines Co-Chair

**Marcus Brown** DVM

**Scott Brown** VMD PhD DACVIM

**C A Tony Buffington** DVM PhD DACVN

M J LaRue Forman DVM DACVIM

> Jacqui Neilson DVM DACVB

**Andrew Sparkes** BVetMed PhD DipECVIM **MRCVS** 

Corresponding authors (Co-Chairs): A Hoyumpa Vogt, ahoyumpa@earthlink.net I Rodan. care4cats@gmail.com




The AAFP and AAHA welcome endorsement of these guidelines from the European Society of Feline Medicine, and acknowledge the help of the Feline Advisory Bureau's WellCat for Life programme in helping to formulate the guidance.





## A minimum of annual wellness examinations and consultations for all cats is justifiable. Semi-annual wellness exams are often recommended for all feline life stages by veterinarians and veterinary organizations.





Courtesy of Ilona Rodan

Semi-annual wellness exams are often recommended for all feline life stages by veterinarians and veterinary organizations. Their reasoning includes the fact that changes in health status may occur in a short period of time; that ill cats often show no signs of disease; and that earlier detection of ill health, body weight changes, dental disease, and so on, allows for earlier intervention. In addition, semi-annual exams allow for more frequent communication with the owner regarding behavioral and attitudinal changes, and education about preventive health care. Further research is needed to identify the optimal examination schedule to maximize the health and longevity of the cat.

The panel members concluded that preventive veterinary care can improve quality of life, detect illness earlier and, therefore, reduce the long term expenses associated with a cat's health care. They believe that cat owners are willing to seek more veterinary care when it improves quality of life and detects illnesses earlier, thereby reducing the long term expenses associated with their cat's health care. Improved client communication and education of the benefits of regular veterinary care are essential to achieve that goal (Fig 1).

The reasons pet owners have cited for not seeking care were that they did not know it was necessary, the veterinarian did not recommend it, and the need or benefit was not well explained.7 Other obstacles include the cat's stress or fear associated with veterinary visits and the practical difficulties of transporting cats to receive veterinary care. Suggestions for overcoming such barriers are provided on page 45.

#### History-taking

It is not the intent of the panel to reiterate the basics of the veterinary visit, but instead to offer a checklist to assist the veterinarian (see Table 1). Where relevant, aspects of feline behavior, nutrition, and various disease prevention and detection strategies are expanded on in the text.

History-taking includes the use of openended questioning (eg, 'How has [cat's name] been doing since the last visit?').8 This approach is often combined with a template or checklist, such as given in Table 1, to ensure important aspects are not overlooked.

#### **Physical examination**

When performing the physical exam, particular attention should be paid to:

- Observing the cat from a distance to assess breathing patterns, gait, stance, strength, coordination and vision.
- Changes in parameters from prior exams (body weight, body condition score [BCS], vital signs).
- Other specifics as noted in the discussion/ action items in Table 1.

#### Identification

According to one study, 41% of people looking for their lost cats considered them to be indoor-only pets.9 American Humane Association records reveal that only about 2% of lost cats ever find their way back from shelters, a major reason being the lack of tag or microchip identification. Assuring the identification of all pet cats, regardless of their lifestyle, is recommended to increase the prospect of lost cats being returned to their owners. The wellness examination is the ideal time to discuss the importance of identification with owners. The benefits of both visible (eg, collar and tag) and permanent (microchip) identification should be explained and compliance with identification recorded in the medical records along with other elements of the history.

#### The minimum database

Although specific data documenting benefits are not available, the panel concluded that regular wellness examinations and collection of the minimum database (MDB; Table 2) can be valuable, allowing early detection of disease or trends in clinical or laboratory parameters that may be of concern. Additionally, it provides a baseline for interpretation of data recorded at subsequent visits.

### Overcoming barriers to veterinary visits

The panel recommends that the veterinary team endeavours to make the veterinary encounter comfortable for both cat and client. Integral to this is a better understanding of feline behavior. 10,11 Some specific tips to help minimize the challenges associated with bringing a cat to the clinic are given below.

Once the client arrives at the veterinary clinic, the health-care team can take steps to reduce stress for both the client and the cat, as is feasible for their situation. 12 See below for some ideas for the waiting client and cat, and some tips to facilitate examination and treatment.

#### Reducing the stress of transport

- Socialize kittens to the carrier and to travelling:
- Keep the transport carrier out and accessible in the home.
- Create and maintain a positive association with the transport carrier by making it a comfortable resting, feeding or play location.
- When feasible, and if the cat is neutral or favorably inclined to car travel, encourage owners to take the cat on periodic car rides paired with positive experiences.
- Withholding food prior to travel may prevent motion sickness, increase interest in treats at the clinic, and is beneficial if blood is to be collected.
- Apply a calming synthetic pheromone to, and/or place familiar clothing from a favorite person in, the carrier on a routine basis and just prior to transport. 13,14
- 💠 Provide cover/hiding options in or over carrier (eg, blanket draped over carrier) during transport.



#### **SUPPLEMENTARY DATA**

An AAFP position statement entitled Respectful handling of cats to prevent fear and pain' is available at www.catvets.com and included in the online version of this article at doi:10.1016/j.jfms. 2009.12.006

#### Making the cat and client comfortable at the clinic

- Provide a separate waiting room for cats, or ensure their immediate placement into an exam room.
- Minimize waiting times.
- Provide elevated platforms in the waiting area so owners can place cat carriers out of reach of dogs.
- Use calming synthetic pheromones in the environment.<sup>14</sup>

#### Facilitating the examination and treatment

- Provide a cat-friendly exam room:
- Keep the room and table warm, with a non-slip surface for the cat.
- Avoid loud noises or ambient sounds that may mimic hissing (eg, whispering).
- Distract and reward with tasty treats/catnip/play.
- Handle using minimal restraint:
- See AAFP Feline Behavior Guidelines for tips on handling cats during the veterinary examination.<sup>10</sup>
- While gathering historical information, allow the cat time to adjust to the surroundings by removing the top or opening the door of the carrier. The cat should ideally remain in the bottom half of the carrier for as much of the exam as possible; this allows it to adjust to the examiner and the environment. 15,16
- Allow the cat to hide partially under a towel; use towels, rather than scruffing, for handling where additional restraint is needed.
- Avoid making eye contact with the cat.
- Determine the most comfortable position for the cat during the examination, such as the veterinarian's lap.
- Use sedation, anesthesia or analgesics as indicated to reduce stress and/or pain.
- Keep hospitalized cats away from dogs and out of visual range of other cats.17





Pictures courtesy of Ilona Rodan

	General discussion/	Specific discussion/action items					
	action items ALL AGES	<b>KITTEN</b> (0–6 m)	<b>JUNIOR</b> (7 m–2 y)	<b>ADULT</b> (3–6 y)	<b>MATURE</b> (7–10 y)	<b>SENIOR</b> (11–14 y)	GERIATRIC (15+ y)
General	Educate/discuss:  Recommended frequency of veterinary visits (the panel recommends a minimum of annual exams)  Early and subtle signs of pain or illness; importance of prevention and early detection of disease  Health-care financial planning  Disaster preparedness  Estate planning  Microchipping	Discuss:     Breed health-care predispositions     Claw care and alternatives to declawing     Congenital/ genetic concerns		This age group is often overlooked and would benefit from regular veterinary care	described in the	gement of mature as AAFP Senior Care are Guidelines for I	Guidelines <sup>5</sup> and
Behavior and environment*	Ask about:  Housing (indoor/outdoor) Hunting activity Children and other pets in the home Environmental enrichment (eg, toys, scratching posts) Behavior Travel (regional diseases)	◆ Confirm adequate resource allocation and play with appropriate toys ◆ Teach commands (eg, come, sit) ◆ Acclimate to car and veterinary visits	<ul> <li>❖ Inter-cat interactions and social play may decline or deteriorate with maturity</li> <li>❖ Provide continued training to allow manipulation of mouth, ears and feet</li> </ul>	<ul> <li>♣ Review         environmental         enrichment</li> <li>♣ Teach         techniques to         increase the         cat's activity         (eg, retrieve)</li> <li>♣ Encourage         object and         interactive play         as a weight         management         strategy</li> </ul>	Increased importance of good/easy accessibility to litter box, bed, food	♣ Environmental needs may change (eg, with osteoarthritis): ensure good/ easy accessibility to litter box, soft bed, food ♣ Educate clients about subtle behavior changes that are not 'just old age'	◆ Ensure accessibility to litter box, bed, food ◆ Monitor cognitive function (vocalization/confusion), signs of pain/osteoarthritis ◆ Discuss quality of life issues
Medical/ surgical history; sterilization	Ask about:     Previous     medical/surgical history     Medications     Over-the- counter items (eg, supplements, parasiticides, alternative medications)	Discuss sterilization, including pros and cons of surgery at different ages	❖ Sterilization, if not yet done ❖ Discuss establishing baseline data to assess subsequent changes (weight, BCS, MDB, etc)*	Discuss baseline adult data to assess subsequent changes (weight, BCS, MDB, etc)*	<ul> <li>Monitor for subtle changes such as increased sleeping or decreased activity</li> <li>Increase focus on mobility, duration and/or progression of any specific signs</li> </ul>	Increase focus on mobility, duration and/or progression of any specific signs	Increasing importance for regular review medications ar supplements
Elimination*	Discuss:     Urinary tract health and methods of encouraging healthy litter habits     Elimination habits (frequency, quantity and quality), and litter box management (number, size, location, cleaning, etc)	Litter box set-up, cleaning and normal elimination behaviour <sup>10</sup>	Confirm that litter box size accommodates growing cat		Review the size and edge height of litter box to ensure the cat can enter easily as it ages	Adjust litter box cleaning regime	size, height and es as necessary

	General discussion/ action items		Specific discussion/action items				
	ALL AGES	(0–6 m)	<b>JUNIOR</b> (7 m–2 y)	<b>ADULT</b> (3–6 y)	<b>MATURE</b> (7–10 y)	<b>SENIOR</b> (11–14 y)	GERIATRIC (15+ y)
Nutrition and weight management*	<ul> <li>Discuss eating behavior, diet(s) and feeding recommendations</li> <li>Stress importance of regular assessment of weight and BCS</li> </ul>	<ul> <li>◆ Feed to moderate body condition</li> <li>◆ Discuss growth requirements and healthy weight management</li> <li>◆ Introduce to a variety of food flavors/textures<sup>19</sup></li> </ul>	Monitor for weight changes and feed to moderate body condition. (Caloric needs decrease after sterilization and increase in breeding females)	Feed to moderate changes and r	body condition. N nodify food intake		Feed to moderate body condition. Monitor food intake and BCS/weight changes
Oral health*	<ul> <li>Discuss dental health and home care</li> <li>Monitor and discuss dental disease, preventive care, dental prophylaxis and treatment</li> </ul>	Educate/discuss: Mouth handling, teeth brushing and alternatives Permanent tooth eruption (timing and signs)  Coordinate: Any required deciduous tooth care with sterilization (simultaneous anesthesia)		Monitor and discuss		_ inability to eat quality of life	ral tumors, and and decreased e from painful disease
Parasite control*	<ul> <li>Tailor laboratory evaluation to lifestyle</li> <li>Evaluate changing or different risk based on geographic prevalence and travel</li> <li>Discuss zoonotic risks. Heartworm prevention recommended for all cats in endemic areas²0</li> </ul>	Deworming every 2 weeks from 3–9 weeks of age; then monthly until 6 months of age. Fecal exams 2–4 times during the first year of life	Continue fecal exams 1–4 times/year depending on health and lifestyle factors	Conduct fed	cal exams 1–2 tim and lifesty	es/year, dependin le factors	g on health
Vaccination <sup>21,22</sup>	Core vaccines:     Feline     panleukopenia     virus     Feline     herpesvirus 1     Feline     calicivirus     Rabies virus  Tailor:     Vaccine     protocols to     individuals and     state regulations,     considering     benefits and risks,     environment,     and referring to     current guidelines	FeLV vaccine highly recommended for kittens due to unknown future lifestyle. Review, complete, continue vaccination series	Review, complete, continue vaccination series. Review vaccine history/viral screening	Continue core assessment and u			

TABLE 2 The minimum database by age group	μ <b>ρ</b> 				
	Kitten/junior	Adult	Mature	Senior/geriatric	
CBC Hematocrit, RBC, WBC, differential count, cytology, platelets	+/-	+/-	+	+	
<b>CHEM screen</b> As a minimum include: TP, albumin, globulin, ALP, ALT, glucose, BUN, creatinine, K <sup>+</sup> , phos, Na <sup>+</sup> , Ca <sup>2+</sup>	+/-	+/-	+	+	
<b>Urinalysis*</b> Specific gradient, sediment, glucose, ketones, bilirubin, protein <sup>23</sup>	+/-	+/-	+	+	
T4*		+/-	+/-	+	
Blood pressure*		+/-	+/-	+	
Retroviral testing	+	+/-	+/-	+/-	
Fecal examination*	+	+	+	+	

<sup>\*</sup>See text discussion. CBC = complete blood count, RBC = red blood cells, WBC = white blood cells, CHEM = chemistry, TP = total protein, ALP = alkaline phosphatase, ALT = alanine aminotransferase, BUN = blood urea nitrogen, T4 = thyroxine

Specific recommendations about age and frequency of laboratory testing depend on many factors. 5,18,24 One consideration in determining this frequency is that the incidence of many diseases increases as cats age. Guidelines for management of mature, senior and geriatric cats may be found in the AAFP Senior Guidelines.<sup>5</sup> Retroviral testing is discussed in detail in the AAFP Retrovirus Testing Guidelines.<sup>22</sup> Measurement of blood pressure is discussed in detail in the ACVIM guidelines.<sup>25</sup> Although limited incidence studies have been performed to identify the age of onset of hyperthyroidism in cats, the panel recommends that veterinarians strongly consider T4 testing in the apparently healthy mature cat. More robust incidence data is needed to develop firmer recommendations.

#### **Nutrition and weight management**

#### **Diet basics**

Energy and nutrient needs vary with life stage, sterilization status and activity, and so general feeding recommendations provide only a starting point. Individual intakes must then be adjusted to maintain the desired weight and body condition score (Fig 2).

Satisfactory diets for cats contain all the required nutrients in proper balance, are palatable and digestible, and are free of spoilage and contaminants. The specific source of nutrients in feline diets is irrelevant when these criteria are satisfied.<sup>26</sup> Both canned and dry food have been found to support health

during all life stages.<sup>27</sup> The presence of a label guarantee that the food was tested using feeding trials provides the current best initial evidence that a diet is satisfactory.

The panel examined published peerreviewed evidence-based studies in healthy, client-owned cats for any significant health effect of: feeding canned versus dry food (including contribution to dental health); providing a variety of foods versus a consistent diet; feeding high protein, low carbohydrate versus lower calorie and high fiber diets; feeding raw diets; providing dietary supplements, or access to grass or plants. Based on the available data, specific recommendations in favor of any of these practices cannot be made.

Despite the concern surrounding the effects of carbohydrate in dry foods, current evidence suggests that housing and activity (which may be a marker of welfare)<sup>28</sup> are more significant predictors of health.<sup>29–32</sup> Evidence does

FIG 2 Regular assessment of weight and body condition score is important in cats of all ages – and this needs to be stressed to owners. Expressing any changes in weight as a percentage, or in terms of an equivalent weight loss/gain in humans, can be helpful. Courtesy of Deb Givin



Cat owners are willing to seek more veterinary care when it improves quality of life and detects illnesses earlier, thereby reducing the long term expenses associated with their cat's health care.

not support the carbohydrate content of foods as being harmful or an independent risk factor for diseases such as obesity or diabetes.<sup>29,33</sup>

With regard to home-made foods, the veterinarian should discuss and share evidence about nutritional balance, risks associated with preparation and feeding of foods raw, and advantages of using food formulated for cats, referring clients to additional resources if required (Table 3).

#### Feeding regimens

A variety of feeding styles can maintain good health in client-owned cats, including free choice or provision of meals. In addition to monitoring intake, considerations include:

condition.

- Providing water via bowls, dripping faucets and/or fountains, to promote adequate intake. When increased water intake is desirable, feeding of canned foods may help achieve this.
- Locating food in a quiet area, especially for nervous or fearful cats (eg, away from other animals or household items that may make noises intermittently).34
- palatability for cats with a Offering dry foods in foraging depressed appetite. devices (eg, food balls or puzzles),35 and in multiple small meals in several widely dispersed bowls to slow intake and increase mental and physical activity.

#### Weight management

Obesity may occur at any age, but is most commonly encountered in middle age. 32,36 The risk of obesity may be reduced by environmental enrichment, increasing opportunities for activity, and individualizing food intake. The energy density of cat foods varies widely, based on the moisture and fat content of the diet. This information should be helpful in determining a guideline of how much to feed.

Tips and items for discussion with clients include:

- Slowly (<10% increments and decrements)</li> adjust calorie intake to life stage and conditions (eg, sterilization, indoor housing).
- Provide environmental enrichment to increase activity.35
- Switch to a diet with lower energy density (reduced fat, increased air, fiber and/or moisture).
- Change the feeding strategy.
- Switch to meal feeding, with portion control.
- Introduce foraging devices (see above).
- Introduce barriers to food access (eg, baby gates, elevated feeding stations).

### Appropriate environmental enrichment is essential for maintaining the mental and physical well-being of cats.

Factors to consider when changing the diet

Provide amounts of the new diet equivalent to

previous energy (versus volume) intake, adjusting the initial amount as needed to maintain moderate body

Consider offering the new diet as a choice in the

presence of the usual diet to enhance acceptability,

and make diet changes gradually to minimize the risk

of gastrointestinal upset in cats with a history of

Warm the food to body temperature;

adding fish/clam juice may increase

this response to dietary change.

#### **Behavior and environment**

An outline of behavior and environmental items for discussion at each life stage is presented in Table 1. The following discussion elaborates on those items, where applicable. For detailed recommendations about normal cat behavior and management refer to the AAFP Feline Behavior Guidelines.<sup>10</sup>

#### All ages

- Provide plentiful resources hiding spots, elevated resting spots, food, water, scratching posts and litter boxes - throughout the home, particularly for cats kept indoors and in multi-cat households (Fig 3).
- Controversy exists over whether cats should be kept indoors-only or in an indoor/outdoor environment (see box below). These debates reflect geographical and cultural differences, as well as individual owner preferences. 30,37–41 They underline the importance of providing an appropriate and stimulating environment for the cat.35

### Lifestyle choices

♣ Indoor-only An indoor-only lifestyle may decrease the risks of trauma and certain infectious diseases and increase longevity, but may also increase the risks of compromised welfare and illness due to environmental limitations. Appropriate

environmental enrichment is thus essential for maintaining the mental and physical well-being of cats. 10,42-44

Indoor/outdoor An indoor/ outdoor lifestyle may provide a more natural and stimulating environment for cats, but may also increase the risks of infectious disease and trauma, and result in increased predation on wildlife. Supervised or controlled outdoor access, for example via leashed walks or cat-proof enclosures, may reduce some of the risks otherwise associated with access to the outdoors, and has been recommended by the AAFP and others. 10,40,44



Courtesy of Deb Givin

### TABLE 3 Web resources for feline health care

		Veterinarian/ clinic	Clients/ pet owners
General wellness information			
Feline Advisory Bureau (FAB) WellCat for life downloads: Veterinary Handbook Wellcat Log	www.fabcats.org/wellcat/publications/index.php www.fabcats.org/wellcat/owners/index.php	✓	<b>√</b>
Morris Animal Foundation 'Happy Healthy Cat Campaign'	www.research4cats.org/		✓
Veterinary Partner	www.veterinarypartner.com		✓
CATalyst Council	www.catalystcouncil.org/		✓
AAHA Compliance Study <sup>7</sup>	www.aahanet.org	✓	
Veterinary Information Network	www.vin.com	✓	
Behavior, environment and the veterinary encounter			
Cornell Feline Health Center videos and health information	www.vet.cornell.edu/FHC/	✓	✓
The Ohio State University Indoor Cat Initiative	www.vet.osu.edu/indoorcat.htm	✓	✓
Humane Society of The United States – indoor cats	www.hsus.org/pets/pet_care/cat_care/keeping_your_cat_happy_indoors.html	✓	✓
AAFP Feline Behavior Guidelines (also includes feeding tips)	www.catvets.com/professionals/guidelines/ publications/?Id=177	✓	
FAB information and Cat Friendly Practice Scheme:			,
The Cat Friendly Home Bringing your Cat to the Vet Creating a Cat Friendly Practice, Cat Friendly Practice 2	www.fabcats.org/behaviour/cat_friendly_home/info.html www.fabcats.org/catfriendlypractice/leaflets/vets.pdf www.fabcats.org/catfriendlypractice/quides.html	<b>√</b>	<b>✓</b>
Dumb Friends League 'Play with Your Cat'	www.ddfl.org/behavior/catplay.pdf	•	<b>√</b>
Nutrition and diet	5 1 31		
Your Cat's Nutritional Needs – A Science-Based Guide for Pet Owners	http://dels.nas.edu/dels/rpt_briefs/cat_nutrition_final.pdf		✓
American College of Veterinary Nutrition – links to nutrition information websites	www.acvn.org/site/view/58669_Links.pml;jsessionid= 20s028q8i1ewt	✓	
Medical/dental care			
AAFP Vaccination Guidelines	www.catvets.com/professionals/guidelines/ publications/?ld=176	✓	
European Advisory Board on Cat Diseases (ABCD) infectious diseases guidelines	www.abcd-vets.org	✓	
AAFP Zoonoses Guidelines	www.catvets.com/professionals/guidelines/ publications/?ld=181	✓	
AAFP Retrovirus Testing Guidelines	www.catvets.com/professionals/guidelines/ publications/?ld=178	✓	
AAFP Bartonella Panel Report	www.catvets.com/professionals/guidelines/ publications/?Id=175	✓	
AAFP Senior Care Guidelines	www.catvets.com/professionals/guidelines/ publications/?Id=398	✓	
AAHA Senior Care Guidelines for Dogs and Cats	http://secure.aahanet.org/eweb/dynamicpage.aspx?site=resources&webcode=SeniorCareGuidelines	✓	
AAHA Dental Care Guidelines for Dogs and Cats	http://secure.aahanet.org/eweb/dynamicpage.aspx?si te=resources&webcode=DentalCareGuidelines	✓	
Veterinary Oral Health Council	www.vohc.org/	✓	✓
AAHA-AAFP Pain Management Guidelines for Dogs & Cats	www.aahanet.org/PublicDocuments/PainManagementGuidelines.pdf	<b>✓</b>	
	www.catvets.com/professionals/guidelines/ publications/?ld=174	<b>√</b>	
International Veterinary Academy of Pain Management Veterinary Anesthesia & Analgesia Support Group	www.ivapm.org www.vasg.org	<b>√</b>	
Parasite prevention			
Companion Animal Parasite Council:			
Information for veterinary and medical professionals Information for cat owners	www.capcvet.org www.petsandparasites.org/cat-owners/	✓	1
Centers for Disease Control and Prevention (CDC) zoonoses information	www.cdc.gov/ncidod/dpd/animals.htm	✓	SUPPLEME DATA
American Heartworm Society	www.heartwormsociety.org/	✓	Table 3, with hyp   ★ the listed web records.
50			is availabl doi:10.1016/

2009.12.006

**♦ Litter boxes and elimination** Litter box rejection can stem from a variety of causes including litter type, box cleaning, box style,

and box size. Cats have shown a tendency to

Urine marking Most intact cats and about

with urine.<sup>50</sup> The onset of this behaviour can

10% of sterilized cats mark their territory







FIG 3 Environmental needs change with life stage, although environmental enrichment and adequate resource allocation remain important for all cats. While play and play items are a priority for the kitten and junior (a and b), easy access to a soft bed (c) and a comfortable resting spot, such as a sofa (d), assumes more importance in the senior and geriatric cat. Pictures (a), (b) and (d) courtesy of Deb Givin; (c) courtesy of Ilona Rodan



#### Adult and mature

prefer larger boxes.<sup>48,49</sup>

coincide with sexual maturity.

Play Declining play activity increases susceptibility to weight gain. In one study, three 10–15 min exercise sessions per day caused a loss of approximately 1% of body weight in 1 month with no food intake restrictions.<sup>51</sup>

#### Senior and geriatric

 Senior and geriatric cats exhibiting behavioral changes (eg, vocalization, changes in litter box usage) should always be evaluated for an underlying medical problem.<sup>5</sup>

#### **Parasites**

Parasite control is important in cats of all ages. Prevention includes both animal and environmental control. The Companion Animal Parasite Council (CAPC) guidelines contain recommendations about prevention of ecto- and endoparasites, fecal testing, and more.<sup>20</sup> The United States Centers for Disease Control and Prevention website (see Table 3) also provides information on a variety of zoonoses. Items for discussion are listed in Table 1, and a few specifics are expanded on below.

#### **Kittens**

 Because prenatal infection does not occur in kittens, roundworm treatment given every 2 weeks can start at 3 weeks of age. Kittens may begin receiving a monthly general endoparasite preventive at 8–9 weeks of age.<sup>20</sup>

### Heartworm: key points

- Although the incidence in cats is lower than it is in dogs (10–15% of the rate in dogs), both indoor and outdoor cats are at risk of heartworm infection.
- Infection with even a small number of adult worms can cause severe
- Signs differ from those in dogs, tending to be non-specific.
- A combination of antigen and antibody testing increases the probability of an accurate diagnosis.
- Adulticide treatment is currently not recommended for cats. There is no evidence that it improves survival in infected cats, and the death of adult worms can be life-threatening.
- Monthly prophylaxis is both safe and effective. Some heartworm preventives also provide control of other parasites.

#### Kitten

- Play Kittens have a high play drive; inter-cat social play peaks at about 12 weeks of age, 45 then object play becomes prevalent. Toys offer an outlet for normal predatory sequences as part of play, and help prevent play biting.
- Litter boxes Litter box set-up and cleaning is critical for box usage. Although individual preferences can vary, most cats prefer clumping litter46 and a clean box in an accessible but not busy location. Initially, kittens can be simultaneously offered a variety of litter box options to permit them to express personal preference through usage. Some cats may find scented litters aversive.<sup>47</sup>
- ❖ Socialization/handling Kittens should be gradually and positively acclimated as early as possible to any stimuli or handling techniques that owners plan them to encounter during their lifetime (eg, children, dogs, nail trims, tooth and coat brushing, car transport). This can be accomplished with food or other appropriate rewards, avoiding interactive punishment as it may elicit defensive aggression.

#### Junior

Inter-cat relations The reduction in social play combined with the dispersal effect (when free-living offspring leave the family unit at about 1–2 years of age) means that inter-cat aggression may develop at this stage of life.

### Clients face a potentially overwhelming amount of information at each visit to the veterinarian, so effective communication is essential.

#### All life stages

- Feces testing allows monitoring of compliance with preventive medication as well as diagnosis of some endoparasites not treated by broad-spectrum preventives.
- Heartworm presents a risk at all life stages in endemic areas.<sup>52</sup> Some points of note are listed in the box on page 51; additional details may be found on the websites of the CAPC and American Heartworm Society (see Table 3).

### **Vaccination**

Table 1 outlines the vaccination priorities to consider when designing a comprehensive, life stage-targeted wellness plan for a cat.

#### **Dental care**

Diseases of the oral cavity are extremely common,<sup>53</sup> yet most owners are unaware that dental disease can threaten the health and welfare of their cat. The AAHA Dental Care Guidelines for Dogs and Cats provide details of dental care and dental charting.<sup>54</sup> Points of note include:

- Cats need home and veterinary dental care at all life stages (see Table 1).
- Disease affecting the teeth and/or oral cavity can cause pain and may lead to disease elsewhere in the body.
- A minimum schedule of annual examinations is recommended for cats with healthy dentition.54
- Client education is fundamental since cats may not show overt signs of pain and discomfort associated with oral disease:4
- Discuss owner-usable interventions that will maintain or improve dental health;55 for example, conditioning at home using treats to allow oral examination by lifting the lips. Although best started with kittens, older cats can be taught to accept brushing using positive interactions and rewards.
- Dental diets, treats and chews exist, but do not all have equivalent efficacy and none substitute for veterinary dental care. 56,57 The use of dental treats and chews may be a realistic, practical alternative to daily tooth brushing, although data about their comparative efficacy is lacking. The Veterinary Oral Health

Council in the USA requires that strict standards are met before certification of food or treats for oral care.<sup>58</sup>

#### **Evidence-based wellness**

Although the panel's objective to provide evidence-based guidelines for health care related to life stage was not fully realized, the profession could develop more accurate recommendations through further research and

through cooperation and data sharing. More robust data about disease incidence by age would assist

> practitioners in determining the value and desired frequency of wellness routine testing. In meantime, we must rely on the available data, personal knowledge experience to help owners maintain their cat's health during its lifetime.

Client communication and resources

Clients face a potentially overwhelming amount of information at each visit to the veterinarian, so effective communication is essential to allow cats to receive optimum health care. In addition to the literature created by veterinarians for their own clients, a vast number of other resources are available to assist veterinarians and their clients. Websites may be oriented towards pet owners, veterinarians, or both. Table 3 is limited to information about wellness, not disease, and is not intended to be exhaustive. These guidelines (which, at a later date, will be supplemented with additional links and materials to aid client education) are available online at

> www.catvets.com/professionals/ guidelines/publications/

### EY POINTS

- These Life Stage Guidelines clients to improve preventive care.
- Excellent resources are available to facilitate the design of a comprehensive, life stage-targeted wellness care plan for each cat.
- Clear communication among veterinarians, support staff and pet the wellness plan, thus improving the quality of health care delivered to cats.
- More robust data about disease incidence by age would assist practitioners in determining the value and desired frequency of routine wellness testing.



Most owners are unaware that dental disease can threaten the health and welfare of their cats.



The need for Feline Life Stage Guidelines was identified by the CATalyst Council, a US initiative comprised of animal health and welfare organizations and corporations to champion the cat in response to statistics that show an increase in the pet cat population coupled with a decline in veterinary visits and increase in shelter population. The guidelines are one part of that effort.

Visit www.catalystcouncil.org for more information, or contact: info@catalystcouncil.org **CATalyst Council** PO Box 5872 Timonium, MD 21093, USA +1-866-979-0222

#### **Acknowledgements**

The AAFP and AAHA would like to thank Boehringer Ingelheim, Merial Ltd, Pfizer Animal Health and IDEXX Laboratories for their sponsorship of these guidelines and their commitment to help the veterinary community develop projects that will improve the lives of cats.

#### References

- Flanigan J, Shepherd A, Majchrzak S, Kirkpatrick D, San Filippo M. US pet ownership & demographics sourcebook. Schaumburg, IL: American Veterinary Medical Association, 2007: 1-3.
- Lue TW, Pantenburg DP, Crawford PM. Impact of the owner-pet and client-veterinarian bond on the care that pets receive. J Am Vet Med Assoc 2008; 232: 531-40.
- AHRQ. US Preventive Services Task Force grade definitions. Rockville, MD: Agency for Healthcare Research and Quality, 2008. http://www.ahrq. gov/clinic/uspstf/grades.htm (accessed June 1
- FAB. WellCat for life veterinary handbook. Tisbury, Wiltshire, UK: Feline Advisory Bureau, 2008: 5. Available at www.fabcats.org/wellcat/ publications/index.php.
- Pittari, J, Rodan I, Beekman G, et al. American Association of Feline Practitioners' senior care guidelines. J Feline Med Surg 2009 11: 763-78. www.catvets.com/professionals/guidelines/ publications/?Id=398 (accessed June 1, 2009).
- Moffatt KS, Landsbery, GM. An investigation of the prevalence of clinical signs of cognitive dysfunction syndrome (CDS) in cats. J Am Anim Hosp Assoc 2003; 39: 512.
- American Animal Hospital Association. The path to high-quality care: practical tips for improving compliance. ('AAHA compliance study'). American Animal Hospital Association, 2003.

- Compliance follow-up study, American Animal Hospital Association, 2009.
- Silverman J, Kurtz S, Draper J. Skills for communicating with patients. 2nd edn. Oxford, UK: Radcliffe Publishing, 2005: 43.
- Lord LK, Wittum TE, Ferketich AK, Funk JA, Rajala-Schultz PJ. Search and identification methods that owners use to find a lost cat. J Am Vet Med Assoc 2007: 230: 217-20.
- 10 Overall K, Rodan I, Beaver V, et al. Feline behavior guidelines from the American Association of Feline Practitioners, 2004. www.catvets. com/professionals/guidelines/ publications/?Id=177 (accessed Aug 17, 2009).
- 11 Feline Advisory Bureau. Bringing your cat to the Cat Friendly Practice literature. www.fabcats.org/catfriendlypractice/leaflets/vets. pdf (accessed June 15, 2009).
- 12 McMillan J. Maximizing quality of life in ill animals. J Am Anim Hosp Assoc 2003; 39: 227-35.
- 13 Griffith CA, Steigerwald ES, Buffington CA. Effects of a synthetic facial pheromone on behavior of cats. J Am Vet Med Assoc 2000; 217: 1154-56.
- 14 Pageat P, Gaultier E. Current research in canine and feline pheromones. Vet Clin North Am Small Anim Pract 2003; 33: 187-211.
- 15 Belew AM, Barlett T, Brown SA. Evaluation of the white-coat effect in cats. J Vet Intern Med 1999; 13: 134-42.
- 16 Sparkes AH, Caney SM, King MC, Gruffydd-Jones TJ. Inter- and intraindividual variation in Doppler ultrasonic indirect blood pressure measurements in healthy cats. I Vet Intern Med 1999; 13: 314-18.
- McCobb EC, Patronek GJ, Marder A, Dinnage JD, Stone MS. Assessment of stress levels among cats in four animal shelters. J Am Vet Med Assoc 2005; 226: 548-555
- Epstein M, Kuehn N, Landsberg G. AAHA senior care guidelines for dogs and cats. J Am Anim Hosp Assoc 2005; 41: 81–91. http://secure.aahanet.org/ eweb/dynamicpage.aspx?site=resources&webcode =SeniorCareGuidelines
- Bradshaw JW. The evolutionary basis for the feeding behavior of domestic dogs (Canis familiaris) and cats (Felis catus). J Nutr 2006; 136 (suppl): 1927S-1931S.
- Companion Animal Parasite Council. CAPC recommendations: controlling internal and external parasites in US dogs and cats, 2008 general guidelines. www.capcvet.org/recommendations/ guidelines (accessed June 15, 2009).
- Richards JR, Elston TH, Ford RB, et al. The 2006 American Association of Feline Practitioners Feline Vaccine Advisory Panel report. J Am Vet Med Assoc 2006; 229: 1405-41. www.catvets.com/professionals/guidelines/ publications/?Id=176
- 22 Levy J, Crawford C, Hartmann, K, et al. American Association of Feline Practitioners' feline retrovirus management guidelines. J Feline Med Surg 2008: 10: 300-16.
- 23 Lees GE, Brown SA, Elliott J, Grauer GF, Vaden SL.

- Assessment and management of proteinuria in dogs and cats. J Vet Intern Med 2005; 19: 377-85.
- 24 Richards J, Rodan I, Beekman G, et al. AAFP senior care guidelines for cats. 1st edn. 1998. www.catvets.com
- 25 Brown S, Atkins C, Bagley R, et al. American College of Veterinary Internal Medicine. Guidelines for the identification, evaluation, and management of systemic hypertension in dogs and cats. J Vet Intern Med 2007; 21: 542-58.
- 26 NRC. Nutrient requirements of dogs and cats. Washington, DC: National Academies Press, 2006.
- 27 Plantinga EA, Everts H, Kastelein AM, Beynen AC. Retrospective study of the survival of cats with acquired chronic renal insufficiency offered different commercial diets. Vet Rec 2005; 157: 185-87.
- 28 Yeates JW, Main DCJ. Assessment of positive welfare: a review. Vet I 2008; 175: 293-300.
- 29 Slingerland LI, Fazilova VV, Plantinga EA, Kooistra HS, Beynen AC. Indoor confinement and physical inactivity rather than the proportion of dry food are risk factors in the development of feline type 2 diabetes mellitus. Vet J 2009; 179: 247-53.
- 30 Buffington CAT. External and internal influences on disease risk in cats. J Am Vet Med Assoc 2002; 220: 994-1002.
- 31 Robertson ID. The influence of diet and other factors on owner-perceived obesity in privately owned cats from metropolitan Perth, Western Australia. Prev Vet Med 1999; 40: 75-85.
- 32 Scarlett JM, Donoghue S, Saidla J, Wills J. Overweight cats: prevalence and risk factors. Int I Obes 1994; 18 (suppl): S22-S28.
- 33 Backus RC, Cave NJ, Keisler DH. Gonadectomy and high dietary fat but not high dietary carbohydrate induce gains in body weight and fat of domestic cats. B J Nutr 2007; 98: 641-50.
- 34 Masserman JH. Experimental neuroses. Sci Am 1950: 182: 38-43.
- 35 Ellis S. Environmental enrichment. Practical strategies for improving feline welfare. J Feline Med Surg 2009; 11: 901-12.
- 36 Lund EM, Armstrong PJ, Kirk CA, Klausner JS. Prevalence and risk factors for obesity in adult cats from private US veterinary practices. Intern J Appl Res Vet Med 2005; 3: 88-96.
- 37 Rochlitz I. A review of the housing requirements of domestic cats (Felis silvestris catus) kept in the home. Appl Anim Behav Sci 2005; 93: 97-109.
- 38 Clancy EA, Moore AS, Bertone ER. Evaluation of cat and owner characteristics and their relationships to outdoor access of owned cats. J Am Vet Med Assoc 2003; 222: 1541-45.
- 39 Neville PF. An ethical viewpoint: the role of veterinarians and behaviourists in ensuring good husbandry for cats. J Feline Med Surg 2004; 6: 43-48.
- 40 Toribio JLM, Norris JM, White JD, Dhand NK, Hamilton SA, Malik R. Demographics and husbandry of pet cats living in Sydney, Australia:

- results of cross-sectional survey of pet ownership. *J Feline Med Surg* 2009; **11:** 449–61.
- 41 Rochlitz I. The welfare of cats. Dortrecht: Springer,
- 42 AAFP. Statement on confinement of owned indoor cats - December 2007. www.catvets.com/ professionals/guidelines/position/?Id=293 (accessed June 15 2009).
- 43 Heidenberger E. Housing conditions and behavioural problems of indoor cats as assessed by their owners. Appl Anim Beh Sci 1997; 52: 345-64.
- 44 Rochlitz I. Recommendations for the housing of cats in the home, in catteries and animal shelters, in laboratories and in veterinary surgeries. J Feline Med Surg 1999; 3: 181-91.
- 45 Caro TM. Predatory behaviour and social play in kittens. Behaviour 1981; 76: 1-24.
- 46 Borchelt PL. Cat elimination behavior problems. Vet Clin North Am Small Anim Pract 1991; 21: 257-64.
- 47 Nielson J. Thinking outside the box: feline elimination. J Feline Med Surg 2004; 6: 5-11.
- 48 Neilson, JC. The latest scoop on litter. Vet Med 2009: 104: 140-44.
- 49 Horwitz DF. Behavioral and environmental factors associated with elimination behavior problems in cats: a retrospective study. Appl Anim Behav Sci 1997; 52: 129-37.
- 50 Hart BL, Barrett RE. Effects of castration on fighting, roaming and urine spraying in adult male cats. J Am Vet Med Assoc 1973; 163: 290-92.
- 51 Clarke DL, Wrigglesworth D, Holmes K, Hackett R, Michel K. Using environmental enrichment and feeding enrichment to facilitate feline weight loss. J Anim Physiol Anim Nutr (Berl) 2005; 89: 427.
- 52 Nelson CT, Seward RL, McCall JW. Guidelines for the diagnosis, treatment and prevention of heartworm (Dirofilaria immitis) infection in cats, 2007. www.heartwormsociety.org/veterinaryresources/feline-guidelines.html
- Lommer MJ, Verstraete FJ. Radiographic patterns of periodontitis in cats: 147 cases (1998-1999). J Am Vet Med Assoc 2001; 218: 230-34.
- 54 Holstrom SE, Bellows J, Colmery B, et al. AAHA dental care guidelines for dogs and cats. J Am Anim Hosp Assoc 2005; 41: 1-7. http://secure.aahanet. org/eweb/dynamicpage.aspx?site=resources& webcode=DentalCareGuidelines
- 55 Ray JD, Jr, Eubanks DL. Dental homecare: teaching your clients to care for their pet's teeth. I Vet Dent 2009; 26: 57-60.
- 56 Logan EI. Dietary influences on periodontal health in dogs and cats. Vet Clin North Am Small Anim Pract 2006; 36: 1385-1401.
- 57 Harvey CE. Management of periodontal disease: understanding the options. Vet Clin North Am Small Anim Pract 2005; 35: 819-36.
- 58 Veterinary Oral Health Council. Protocols and submissions. http://www.vohc.org/protocol.htm (accessed Aug 17, 2009).

